RECEIVED CENTRAL FAX CENTER

Attorney Docket No. 03398/LH

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

MAY 2 6 2006 CERTIFICATE OF FACSIMILE TO NO. 1-571-273-8300

TOTAL PAGES: 3

on the date noted below.

Nalini P. Sahadco

Dated: May 26, 2006

Applicant ; Y. GOTFRIED

I hereby certify that this paper is being facsimile 10/616,218 Serial No. : transmitted to the Commissioner for Patents,

Filed JULY 8, 2003 :

INTRAMEDULLARY NAIL SYSTEM AND For METHOD FOR FIXATION OF A FRACTURED

BONE

Art Unit 3733

DAVIS, DANIEL J. Examiner :

Customer No.: 01933 In the event that this Paper is late filed, and

the necessary petition for extension of time is not filed concurrently herewith, please consider this as a Petition for the requisite extension of time, and to the extent not tendered by credit card payment, authorization to charge the extension fee, or any other fee required in connection with this Paper to Account No. 06-1378.

<u>RESPONSE- 37 C.F.R. 1.111</u>

MAIL STOP AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SIR:

This is responsive to the Office Action mailed March 28, 2006, the term for response to which is extended by one-month by Petition filed concurrently herewith to expire on May 28, 2006.

ELECTION

Applicant hereby elects Invention I, claims 1-28, drawn to an apparatus, for further prosecution on the merits, without traverse.

It is respectfully requested that prosecution on the merits now proceed on the basis of the election set forth above.

It is respectfully submitted that this submission is fully responsive to the outstanding Office Action.

* * * * * * * * * * * * * * * * * *

If the Examiner has any comments, questions, objections or recommendations, the Examiner is invited to telephone the undersigned at the telephone number given below for prompt action.

Respectfully submi

May 26, 2006

Leonard Holt Reg. No. 22,974

FRISHAUF HOLTZ GOODMAN & CHICK, P.C. 220 FIFTH AVENUE NEW YORK, N.Y. 10001-7708 Tel. No. (212) 319-4900 Fax No. (212) 319-5101 LH:nps